



**Stainless Steel BUTT WELDING EQUAL TEES / Welded  
according to DIN 2615  
Standard grades: AISI 304L, 316L-316Ti**

DN	OUTSIDE-Ø d mm	WALL THICKNESS s mm	a mm	b mm	THEOR. WEIGHT kg/item
15	20	2	25	25	0.08
	21.3	2	25	25	0.09
20	25	2	30	30	0.1
	26.9	2	29	29	0.15
25	30	2	35	35	0.14
	33.7	2	38	38	2
32	42.4	2	48	48	0.32
40	44.5	2	50	50	0.32
	48.3	2	57	57	0.46
50	54	2	61	61	0.48
	60.3	2.6	64	64	0.75
	60.3	2	64	64	0.57
65	70	2	73	73	0.79
	76.1	2.6	76	76	1.13
80	84	2	82	82	1.1
	88.9	2.6	86	86	1.58
100	104	2	98	98	1.39
	114.3	2.6	105	105	2.25
125	129	2	115	115	2.24
	139.7	2.6	124	124	3.3
150	156	3	135	135	4.6
	168.3	2.6	143	143	5.4
200	206	3	170	170	7.5
	219.1	2.9	178	178	7.5
250	256	3	203	203	11.5
	273	3.2	216	216	11.5
300	306	3	255	255	13.1
	323.9	3.2	254	254	18